

Custom Sauna Planner

Custom Sauna Planner for all sauna projects: Residential or Commercial facilities like Hotels, Gyms, Health Clubs, Military Bases, etc. Print out, then return this completed form by Email, Fax or Mail to receive a quote for a Custom Sauna Kit. Use this form for new sauna construction or sauna remodeling jobs. Sauna construction starts with a framed and insulated room, so remove any existing interior wall paneling, drywall etc. to prepare space for sauna kit installation.

It is important to have exact Rough Opening dimensions (stud to stud measurements) of planned or existing framed room.

Custom Sauna Floor Plan sketch guidelines:


Study this example drawing of a custom sauna design. On next page, draw in your Custom Sauna design of any size. Please do your best to follow this format. The suggested scale is each grid square equals 1 foot.

Please Include:

- Overall Rough Opening dimensions: width, depth and ceiling height.
- Measurements on both sides of Door Rough Opening
- Show door swing direction (door can't swing into sauna, for safety)
- You may draw desired bench & heater locations which a Sauna Design Consultant will review for you
- See website or call for actual Door Rough Opening Size if custom
- Draw desired bench depths & tiers
- Hints: Standard bench depths are: 12", 18" and 24". 24" benches allow enough depth to lay down if wall is longer than 6 feet. Ceiling height is typically 84" (7')

Our expert design consulting is available to assist in creating the sauna for your needs and budget. Typical lead time for delivery is 2-4 weeks. Ask about Rush Order Custom Saunas, call for details 1-877-872-2806

Drawing Scale: each square equals 1 foot. Use a straight edge and a pencil for best results.



Notes:

Your Local Dealer:

Custom Sauna Planner

www.SuperiorSaunas.com

Contact Info **Name:** _____ **Email:** _____
Phone: _____ **Fax:** _____ **Cell:** _____ **Date:** ___/___/___
'Ship to' Address: _____ **City, State, Zip:** _____

Sauna Room Details: Framed Rough Opening Size: width _____" x depth _____" x height _____"

I plan to buy a Sauna Kit or Components: ___ within a month ___ by this date ___/___/___ ___ not sure when

T&G Paneling: ___ White Aspen ___ Red Cedar ___ Wh. Cedar Direction: ___ Horizontal OR ___ Vertical

NOTE: Matching White Aspen/Basswood or Cedar Parts, wood sauna components (benches, trim, etc.) match T&G wood

Ceiling Paneling Direction: (from door opening) ___ Front to Back OR ___ Left to Right ___ Int. Trim Package

Sauna Heater: ___ Electric ___ Wood Burning OR ___ Gas (Call for ALL heater choices)

Heater Brand: _____ Model: _____ Voltage: 240v OR 208v, 1 phase OR 3 ph.

Preferred Controls: ___ Dials on heater ___ Dials on wall ___ Digital Touch Pad ___ 60min. or 9hr preset timer

___ Heater Guard (allows airflow and prevents accidently bumping into hot stove)

Bench Details: Common bench depths are 18", 24", 30", 36" or Custom (please note Depth & Width below)

D _____" x W _____" Top Bench

D _____" x W _____" Top Bench 'L'

D _____" x W _____" Bottom Bench

D _____" x W _____" Bottom Bench 'L'

D _____" x W _____" 3rd Tier Bench (optional w/ 7' 6" min. ceiling ht.)

___ Bench Skirting

Portable Headrest/Backrest: ___ Cedar or ___ Basswood

Notes: _____

Comfortable Backrests for top tier benches [helps keep walls clean]: ___ Standard 4 bar ___ Deluxe Curved

All Glass Panel Door: ___ 24 x 72" ___ 36 x 80" Handicap Accessible (see website for Rough Openings)

Choice of: ___ bronze tint ___ clear Glass panel is tempered and pre-hung in jamb with hardware

Custom Wood Door: ___ 24 x 77" ___ 28 x 77" ___ 36 x 77" OR Any size: _____

Options: ___ 'Full Glass' ___ '1/2 Glass' ___ Wood T&G door to match wall paneling wood

Note: T&G Doors have insulated core and optional windows are 2x pane insulated glass units. Doors are pre-hung in jamb (threshold optional), with 2 wood handles, 3 adjustable S.S. hinges and satin finish adjustable ball latch

Required Door Info: Door hinges walking in pulling door: ___ LH ___ RH (door can't swing into sauna)

Standard jamb depth (wall thickness) is 4 7/8" **Note if custom jamb depth needed:** _____

Note: Door rough opening is typically 3" larger on width and height for 4 sided jamb

Sauna Window: tempered insulated glass unit ___ 20x24" ___ 24x32" (specify Horizontal OR Vertical for outdoor sauna)

Flooring: 1' square wood tiles for walking area with plastic easy snap-together base, lets water drain away

___ Western Red Cedar

___ Ipe hardwood, lasts generations (see website for edging pieces)

D.I.Y. Parts: ___ Foil Vapor Barrier (required) ___ Foil Tape ___ Wall Light ___ Wood Diffuser Shade 90° or 180°

___ Recessed Lighting Kit [halogen & LED] ___ Vent Kit ___ Paraffin Oil Kit (protects sauna woods)

___ Stainless Steel Nails for paneling/trim: 15, 16 or 18 gauge, specify your brad nailer gun size _____

Accessories: ___ 1 Gal. Bucket & Ladle (choice of wood or copper), Hygro/Thermometer and Eucalyptus Oil (10% off w/sauna) Standard or Deluxe Complete Accessory Pack details available at www.SuperiorSaunas.com

Sauna Woods Sample Pack: ___ Send me Sample Pack of Sauna Wood Choices (T&G paneling, benches, flooring, trim, SS nails) for only \$9.95 shipping & handling (Sample Pack charge is refunded with Sauna Kit purchase)

Shared/docs/Lit-Lib/helpful_info/edit/SaunaPlanner___.pub Rev_100511

www.SuperiorSaunas.com

1-877-872-2806

info@superiorsaunas.com

26865 State Hwy 118 Ashland, WI 54806

Your Local
Dealer: